

# Contents

<b>Usage</b>	<b>1</b>
Requirements	2
Command Line	2
<b>Use Cases</b>	<b>2</b>
Use Case 1 - Program compilation with all modules embedded	3
Use Case 2 - Extension Module compilation	3
Use Case 3 - Package compilation	4
Use Case 4 - Cross compilation to Windows	4
<b>Where to go next</b>	<b>5</b>
Subscribe to its mailing lists	5
Report issues or bugs	5
Contact me via email with your questions	5
Word of Warning	5
<b>Join Nuitka</b>	<b>5</b>
<b>Donations</b>	<b>6</b>
<b>Unsupported functionality</b>	<b>6</b>
The <code>co_code</code> attribute of code objects	6
<b>Optimization</b>	<b>6</b>
Constant Folding	6
Constant Propagation	7
Builtin Call Prediction	7
Conditional Statement Prediction	7
Exception Propagation	8
Exception Scope Reduction	8
Exception Block Inlining	9
Empty branch removal	9
Unpacking Prediction	10
Builtin Type Inference	10
Quicker function calls	10
<b>Credits</b>	<b>11</b>
Contributors to Nuitka	11
Projects used by Nuitka	11
<b>Updates for this Manual</b>	<b>12</b>

## Usage

## Requirements

- C++ Compiler: You need a compiler with support for C++03

Currently this means, you need to use either of these compilers:

- GNU g++ compiler of at least version 4.4
  - The clang compiler on MacOS X or FreeBSD, based on LLVM version 3.2
  - The MinGW compiler on Windows
  - Visual Studio 2008 and 2010 on Windows
- Python: Version 2.6, 2.7 or 3.2, 3.3 (partially)

You need CPython to execute Nuitka, because it is tightly bound to the reference implementation of Python, called "CPython".

### Note

The created binaries can be made executable independent of the Python installation, with `--portable` option.

CURRENTLY not FINISHED code, so disabled.

- Operating System: Linux, FreeBSD, NetBSD, MacOS X, and Windows (32/64 bits),

Others may work as well. The portability is expected to be generally good, but the Scons usage may have to be adapted.

- Architectures: x86, x86\_64 (amd64), and arm.

Other architectures may also work, these are just the only ones tested. Feedback is welcome.

## Command Line

No environment variable changes are needed, you can call the `nuitka` and `nuitka-python` scripts directly without any changes to the environment. You may want to add the `bin` directory to your `PATH` for your convenience, but that step is optional.

Nuitka has a `--help` option to output what it can do:

```
nuitka --help
```

The `nuitka-python` command is the same as `nuitka`, but with different defaults. It tries to compile and directly execute a Python script:

```
nuitka-python --help
```

These options with different defaults are `--exe` and `--execute`, so it is somewhat more similar to what plain `python` will do.

## Use Cases

## Use Case 1 - Program compilation with all modules embedded

If you want to compile a whole program recursively, and not only the single file that is the main program, do it like this:

```
nuitka-python --recurse-all program.py
```

### **Note**

There is more fine grained control than `--recurse-all` available. Consider the output of `nuitka-python --help`.

In case you have a plugin directory, i.e. one which is not found by recursing after normal import statements (recommended way), you can always require that a given directory shall also be included in the executable:

```
nuitka-python --recurse-all --recurse-directory=plugin_dir program.py
```

### **Note**

If you don't do any dynamic imports, setting your `PYTHONPATH` at compilation time will be sufficient for all your needs normally. Use `--recurse-directory` only if you make `__import__()` calls that Nuitka cannot predict, because they e.g. depend on command line parameters. Nuitka also warns about these, and point to the option.

### **Note**

The resulting binary still depends on CPython and used C extension modules being installed. If you want to be able to copy it to another machine, use `--portable` and copy the generated `"_python"` directory and `"_python.zip"` archives as well.

CURRENTLY not FINISHED code, so disabled.

## Use Case 2 - Extension Module compilation

If you want to compile a single extension module, all you have to do is this:

```
nuitka some_module.py
```

The resulting file `"some_module.so"` can then be used instead of `"some_module.py"`. It's left as an exercise to the reader, what happens if both are present.

### **Note**

The option `--recurse-all` and other variants work as well.

## **Use Case 3 - Package compilation**

If you need to compile a whole package and embedded all modules, that is also feasible, use Nuitka like this:

```
nuitka some_package --recurse-directory=some_package
```

### **Note**

The recursion into the package directory needs to be provided manually, otherwise the package is empty. Data files located inside the package will not be embedded yet.

## **Use Case 4 - Cross compilation to Windows**

Nuitka can cross compile to Windows from other platforms, specifically Linux, and these are the instructions on how to do it.

1. Make sure to have the latest wine installed.

```
apt-get install wine-unstable
```

### **Note**

Make sure to actually use the "i386" architecture. From multiarch enabled debian systems, that may mean to say "wine-unstable:i386", otherwise it won't work.

2. Make sure to use the latest "mxe" environment as the cross compiler.

```
git clone https://github.com/mxe/mxe.git
cd mxe
make gcc
mkdir -p /opt
cd /opt
ln -s $OLDPWD mingw
```

Nuitka will use "/opt/mingw" to locate the cross compiler.

3. Install the *same* Python version as you have under Linux.

```
wine msiexec /i python-2.7.5.msi
```

### **Note**

You don't have to install documentation, TCL/Tk files, or Python tests to preserve disk space.

```
nuitka-python --windows-target program.py
```

To test the binary, use "wine program.exe", the "nuitka-python" does it automatically for you.

## **Where to go next**

Remember, this project is not completed yet. Although the CPython test suite works near perfect, there is still more work needed, to make it do more optimization. Try it out.

## **Subscribe to its mailing lists**

Please visit the [mailing list page](#) in order to subscribe the relatively low volume mailing list. All Nuitka issues can be discussed there.

## **Report issues or bugs**

Should you encounter any issues, bugs, or ideas, please visit the [Nuitka bug tracker](#) and report them.

## **Contact me via email with your questions**

You are welcome to [contact me via email](#) with your questions.

## **Word of Warning**

Consider using this software with caution. Your feedback and patches to Nuitka are very welcome.

Especially report it please, if you find that anything doesn't work, because the project is now at the stage that this should not happen.

## **Join Nuitka**

You are more than welcome to join Nuitka development and help to complete the project in all minor and major ways.

The development of Nuitka occurs in git. We currently have these 2 branches:

- **master:**

This branch contains the stable release to which only hotfixes for bugs will be done. It is supposed to work at all times and is supported.

- **develop:**

This branch contains the ongoing development. It may at times contain little regressions, but also new features. On this branch the integration work is done, whereas new features might be developed on feature branches.

### Note

I accept patch files, git formatted patch queues, and git pull requests. I will do the integration work. If you base your work on "master" or "develop" at any given time, I will do any re-basing required and keep your authorship intact.

### Note

The Developer Manual explains the coding rules, branching model used, with feature branches and hotfix releases, the Nuitka design and much more. Consider reading it to become a contributor. This document is intended for Nuitka users.

## Donations

Should you feel that you cannot help Nuitka directly, but still want to support, please consider [making a donation](#) and help this way.

## Unsupported functionality

### The `co_code` attribute of code objects

The code objects are empty for native compiled functions. There is no bytecode with Nuitka's compiled function objects, so there is no way to provide it.

## Optimization

### Constant Folding

The most important form of optimization is the constant folding. This is when an operation can be predicted. Currently Nuitka does these for some builtins (but not all yet), and it does it for binary/unary operations and comparisons.

Constants currently recognized:

```
5 + 6      # operations
5 < 6      # comparisons
range(3)   # builtins
```

Literals are the one obvious source of constants, but also most likely other optimization steps like constant propagation or function inlining will be. So this one should not be underestimated and a very important step of successful optimizations. Every option to produce a constant may impact the generated code quality a lot.

Status: The folding of constants is considered implemented, but it might be incomplete. Please report it as a bug when you find an operation in Nuitka that has only constants as input and is not folded.

## Constant Propagation

At the core of optimizations there is an attempt to determine values of variables at run time and predictions of assignments. It determines if their inputs are constants or of similar values. An expression, e.g. a module variable access, an expensive operation, may be constant across the module of the function scope and then there needs to be none, or no repeated module variable look-up.

Consider e.g. the module attribute `__name__` which likely is only ever read, so its value could be predicted to a constant string known at compile time. This can then be used as input to the constant folding.

```
if __name__ == "__main__":
    # Your test code might be here
    use_something_not_use_by_program()
```

From modules attributes, only `__name__` is currently actually optimized. Also possible would be at least `__doc__`.

Also builtins exception name references are optimized if they are uses as module level read only variables:

```
try:
    something()
except ValueError: # The ValueError is a slow global name lookup normally.
    pass
```

## Builtin Call Prediction

For builtin calls like `type`, `len`, or `range` it is often possible to predict the result at compile time, esp. for constant inputs the resulting value often can be precomputed by Nuitka. It can simply determine the result or the raised exception and replace the builtin call with it allowing for more constant folding or code path folding.

```
type( "string" ) # predictable result, builtin type str.
len( [ 1, 2 ] ) # predictable result
range( 3, 9, 2 ) # predictable result
range( 3, 9, 0 ) # predictable exception, range hates that 0.
```

The builtin call prediction is considered implemented. We can simply during compile time emulate the call and use its result or raised exception. But we may not cover all the builtins there are yet.

Sometimes builtins should not be predicted when the result is big. A `range()` call e.g. may give too big values to include the result in the binary. Then it is not done.

```
range( 100000 ) # We do not want this one to be expanded
```

Status: This is considered mostly implemented. Please file bugs for built-ins that are predictable but are not computed by Nuitka at compile time.

## Conditional Statement Prediction

For conditional statements, some branches may not ever be taken, because of the conditions being possible to predict. In these cases, the branch not taken and the condition check is removed.

This can typically predict code like this:

```
if __name__ == "__main__":
    # Your test code might be here
    use_something_not_use_by_program()
```

or

```
if False:
    # Your deactivated code might be here
```

It will also benefit from constant propagations, or enable them because once some branches have been removed, other things may become more predictable, so this can trigger other optimization to become possible.

Every branch removed makes optimization more likely. With some code branches removed, access patterns may be more friendly. Imagine e.g. that a function is only called in a removed branch. It may be possible to remove it entirely, and that may have other consequences too.

Status: This is considered implemented, but for the maximum benefit, more constants needs to be determined at compile time.

## Exception Propagation

For exceptions that are determined at compile time, there is an expression that will simply do raise the exception. These can be propagated, collecting potentially "side effects", i.e. parts of expressions that must still be executed.

Consider the following code:

```
print side_effect_having() + (1 / 0)
print something_else()
```

The `(1 / 0)` can be predicted to raise a `ZeroDivisionError` exception, which will be propagated through the `+` operation. That part is just Constant Propagation as normal.

The call to `side_effect_having` will have to be retained though, but the print statement, can be turned into an explicit raise. The statement sequence can then be aborted and as such the `something_else` call needs no code generation or consideration anymore.

To that end, Nuitka works with a special node that raises an exception and has so called "side\_effects" children, yet can be used in generated code as an expression.

Status: The propagation of exceptions is implemented on a very basic level. It works, but exceptions will not propagate through all different expression and statement types. As work progresses or examples arise, the coverage will be extended.

## Exception Scope Reduction

Consider the following code:

```
try:
    b = 8
    print range( 3, b, 0 )
    print "Will not be executed"
except ValueError, e:
    print e
```



The try block is bigger than it needs to be. The statement `b = 8` cannot cause a `ValueError` to be raised. As such it can be moved to outside the try without any risk.

```
b = 8
try:
    print range( 3, b, 0 )
    print "Will not be executed"
except ValueError, e:
    print e
```

Status: Not yet done yet. The infrastructure is in place, but until exception block inlining works perfectly, there is not much of a point.

## Exception Block Inlining

With the exception propagation it is then possible to transform this code:

```
try:
    b = 8
    print range( 3, b, 0 )
    print "Will not be executed"
except ValueError, e:
    print e
```

```
try:
    raise ValueError, "range() step argument must not be zero"
except ValueError, e:
    print e
```

Which then can be reduced by avoiding the raise and catch of the exception, making it:

```
e = ValueError( "range() step argument must not be zero" )
print e
```

Status: This is not implemented yet.

## Empty branch removal

For loops and conditional statements that contain only code without effect, it should be possible to remove the whole construct:

```
for i in range( 1000 ):
    pass
```

The loop could be removed, at maximum it should be considered an assignment of variable `i` to 999 and no more.

Another example:

```
if side_effect_free:
    pass
```

The condition should be removed in this case, as its evaluation is not needed. It may be difficult to predict that `side_effect_free` has no side effects, but many times this might be possible.

Status: This is not implemented yet.

## Unpacking Prediction

When the length of the right hand side of an assignment to a sequence can be predicted, the unpacking can be replaced with multiple assignments.

```
a, b, c = 1, side_effect_free(), 3
```

```
a = 1
b = side_effect_free()
c = 3
```

This is of course only really safe if the left hand side cannot raise an exception while building the assignment targets.

We do this now, but only for constants, because we currently have no ability to predict if an expression can raise an exception or not.

Status: Not really implemented, and should use `mayHaveSideEffect()` to be actually good at things.

## Builtin Type Inference

When a construct like `in xrange()` or `in range()` is used, it is possible to know what the iteration does and represent that, so that iterator users can use that instead.

I consider that:

```
for i in xrange(1000):
    something(i)
```

could translate `xrange(1000)` into an object of a special class that does the integer looping more efficiently. In case `i` is only assigned from there, this could be a nice case for a dedicated class.

Status: Future work, not even started.

## Quicker function calls

Functions are structured so that their parameter parsing and `tp_call` interface is separate from the actual function code. This way the call can be optimized away. One problem is that the evaluation order can differ.

```
def f( a, b, c ):
    return a, b, c

f( c = get1(), b = get2(), a = get3() )
```

This will evaluate first `get1()`, then `get2()` and then `get3()` and then make the call.

In C++ whatever way the signature is written, its order is fixed.

Therefore it will be necessary to have a staging of the parameters before making the actual call, to avoid an re-ordering of the calls to `get1()`, `get2()` and `get3()`.

To solve this, we may have to create wrapper functions that allow different order of parameters to C++.

Status: Not even started.

## Credits

### Contributors to Nuitka

Thanks go to these individuals for their much valued contributions to Nuitka. Contributors have the license to use Nuitka for their own code even if Closed Source.

The order is sorted by time.

- Li Xuan Ji: Contributed patches for general portability issue and enhancements to the environment variable settings.
- Nicolas Dumazet: Found and fixed reference counting issues, import work, improved some of the English and generally made good code contributions all over the place, code generation TODOs, tree building cleanups, core stuff.
- Khalid Abu Bakr: Submitted patches for his work to support MinGW and Windows, debugged the issues, and helped me to get cross compile with MinGW from Linux to Windows. This was quite a difficult stuff.
- Liu Zhenhai: Submitted patches for Windows support, making the inline Scons copy actually work on Windows as well. Also reported import related bugs, and generally helped me make the Windows port more usable through his testing and information.
- Christopher Tott: Submitted patches for Windows, and general as well as structural cleanups.
- Pete Hunt: Submitted patches for MacOS X support.
- ownssh: Submitted patches for builtins module guarding, and made massive efforts to make high quality bug reports.

### Projects used by Nuitka

- The [CPython project](#)  
Thanks for giving us CPython, which is the base of Nuitka. We are nothing without it.
- The [GCC project](#)  
Thanks for not only the best compiler suite, but also thanks for supporting C++11 which helped to get Nuitka off the ground. Your compiler was the first usable for Nuitka and with little effort.
- The [Scons project](#)  
Thanks for tackling the difficult points and providing a Python environment to make the build results. This is such a perfect fit to Nuitka and a dependency that will likely remain.
- The [valgrind project](#)  
Luckily we can use Valgrind to determine if something is an actual improvement without the noise. And it's also helpful to determine what's actually happening when comparing.
- The [NeuroDebian project](#)  
Thanks for hosting the build infrastructure that the Debian and sponsor Yaroslav Halchenko uses to provide packages for all Ubuntu versions.
- The [openSUSE Buildservice](#)

Thanks for hosting this excellent service that allows us to provide RPMs for a large variety of platforms and make them available immediately nearly at release time.

- The [MinGW project](#)

Thanks for porting the best compiler to Windows. This allows portability of Nuitka with relatively little effort.

- The [mingw-cross-env project](#)

Thanks for enabling us to easily setup a cross compiler for my Debian that will produce working Windows binaries.

- The [Wine project](#)

Thanks for enabling us to run the cross compiled binaries without have to maintain a windows installation at all.

## Updates for this Manual

This document is written in REST. That is an ASCII format which is readable as ASCII, but used to generate PDF or HTML documents.

You will find the current source under: [http://nuitka.net/gitweb/?p=Nuitka.git;a=blob\\_plain;f=README.txt](http://nuitka.net/gitweb/?p=Nuitka.git;a=blob_plain;f=README.txt)

And the current PDF under: <http://nuitka.net/doc/README.pdf>